INDEX OF AUTHORS AND SUBJECTS

Vol. 112

Alcock, J., Tool-using by Egyptian Vulture, 542

Ash, J., see Fry, C. H. Ashmole, N. P., see Schreiber, R. W.

Backhurst, G. C., see Pearson, D. J. Baxter, R. M., and Urban, E. K., Origin of feather colouration in Great White Pelican,

Beraut, E., Nesting of Gymnoderus foetidus, 256. Bourne, W. R. P., see Lapthorn, J. On N. F. Ticehurst (letter), 404.

breeding seasons, 242-55, 363-94. Circaetus fasciolatus, 117-8, 264. Dysithamnus mentalis, 267–8. Gymnoderus foetidus, 256. Melanopteryx nigerrimus, 93-104. Passer spp., 1-14. Pelecanus rufescens, 499–512. Ploceus cucullatus, 93–104, 457–80. Procnias averano, 299–329. Puffinus gravis, 259–60.

British Ornithologists' Union, Conference, 438-42. Honours and Awards, 427-8.

Meetings, 146–8, 437–8.
Reports, 429–36.
Brown, L. H., see Burke, V. E. M.
Brown, R. G. B., Fulmar distribution, 44–51. BURKE, V. E. M., and BROWN, L. H., Breeding of Pink-backed Pelican, 499-512.

CANARY ISLANDS, 265-6, 268. Collias, N. E., and Collias, E. C., Behaviour of Village Weaver, 457–80.

CONDER, P. J., see CRAMP, S. COOK, R. E., The sequence of passerine families (letter), 118–9.

CRAMP, S., and CONDER, P. J., Visit to oasis of Kufra, 261-3.

DICKENSON, E. C., Notes on birds from Indo-

china, 481–7.
DITTUS, W. P. J., and LEMON, R. E., Auditory feedback in singing of Cardinals, 544-8. DOLP, R. M., see MOREAU, R. E.

EASTER ISLAND, 532-8.
ELLIOTT, C. C. H., Note on birds of Gough
Island, 112-4.

ENDERS, F., see Post, W. Ewing, A. W., see Parkin, D. T.

FALKLAND ISLANDS, 15–24, 259–60. FERGUSON-LEES, I. J., see FRY, C. H. FFRENCH, R. P., see LILL, A. Food,

Alcidae, 540-1. Jacamars and bee-eaters, Redshank, 543-4.

Ford, H. A., see Parkin, D. T. Frost, P. G. H., see Siegfried, W. R. Fry, C. H., Ash, J. S., and Ferguson-Lees, I. J., Spring weights of migrants at Lake Chad, 58–82. Fry, C. H., Convergence between jacamars and

bee-eaters, 257-9.

GALAPAGOS ISLANDS, 111-2.

GIBRALTAR, 25-43.

Goss-Custard, J. D., see Greenwood, J. J. D. Gough Island, 112–4. Greenwood, J. J. D., and Goss-Custard, J. D.,

Relative digestibility of prey of Redshank, 543-4.

GRIFFITHS, R. G., see LAPTHORN, J.

HALD-MORTENSEN, P., Notes from Tenerife, 265-6.

HALL, J. R., Synchrony and social stimulation in

colonies of weavers, 93–104.
HARRIS, M. P., Abnormal migration and hybridisation in gulls, 488–498.

Diet of British auks, 540-1. HARRISON, C. J. O., Food carrying and transport

of nest-material, 105-6.

Hodge, M., The Pied Wheatear in Greece (letter), 403.

Hold, T., Notation of bird song, 151-72.

Holyoak, D. T., Sex differences in feeding behaviour of Carrion Crow, 397-400.

Hughes, R. A., Birds of Mollendo, Peru, 229-41.

INDOCHINA, 481-7.

INGOLFSSON, A., Moult of gulls in Iceland, 83-92.

Hybridisation of Glaucous and Herring Gulls in Iceland, 340-62.

JOHNSON, A. W., MILLIE, W. R., and MOFFETT, G., Notes on the birds of Easter Island, 532-8.

KREBS, J. R., Courtship feeding in the Blue Tit, 108-10.

Kreuger, R., First finding of egg of Circaetus fasciolatus (letter), 117-8.

Lapthorn, J., Griffiths, R. G., and Bourne, W. R. P., Leach's Petrel in the Indian Ocean and Persian Gulf, 260–1.

LATHBURY, G., Birds of Gibraltar, 25-43.

Lemon, R. E., see Dittus, W. P. J. Lill, A., and Ffrench, R. P., Nesting of the Plain Antvireo in Trinidad, 267–8.

LOFTS, B., see Murton, R. K.

Medway, Lord, Ringing study of the Brown Shrike in Malaysia, 184-98.

Migration, Egypt, 209-28.

Lanius collurio, 114-5. Lanius cristatus, 184-98.

Larus argentatus and L. fuscus, 488-98. Sahara, 261-3.

Weights, 114–5, 184–98, 199–208, 209–28. MILLIE, W. R., see JOHNSON, A. W.

MOFFETT, G., see JOHNSON, A. W.
MORRAU, R. E., and DOLP, R. M., Fat, water,
weights and wing-lengths of migrants in Egypt, 209-28.

Mountfort, G., The need for research con-

cerning endangered species, 445-7.
MURTON, R. K., LOFTS, B., and ORR, A. H., Circadian based photosensitivity in Passer domesticus, 448-56.

Obituaries,

Kennedy, J. N., 564–5. Moreau, R. E., 549–64. Ticehurst, N. F., 269–70, 404.

Olson, S. L., Remarks on sequence of passerine families (letter), 403-4.

ORR, A. H., see MURTON, R. K.

PARKIN, D. T., EWING, A. W., and FORD, H. A., Group diving in Blue-footed Booby, 111-2. PAYN, W. H., Winter notes from Tenerife, 268.
PAYNE, R. B., Temporal pattern of duetting in
Barbary Shrike, 106-8.
PAYNE, R. B., and SKINNER, N. J., Temporal
pattern of duetting in African barbets,

173-83.

Pearson, D. J., Weights of Red-backed Shrikes in Uganda, 114-5.

Pearson, D. J., Phillips, J. H., and Backhurst, G. C., Weights of Palaearctic waders wintering in Kenya, 199-208.

Perrins, C. M., Timing of breeding seasons, 242-55.

PERU, 229-41.

PHILLIPS, J. H., see PEARSON, D. J. Pickford, K. D., Colour definition (letter), 117. Post, W., and Enders, F., Occurrence of

Mallophaga on two bird species, 539-40.

Schreiber, R. W., and Ashmole, N. P., Seabird breeding seasons on Christmas Island, 363-94. SEEL, D. C., Nesting survival and weights in

Passer spp., 1-14. Siegfried, W. R., and Frost, P. G. H., Notes on the Madagascar Kestrel, 400-2.

SKINNER, N. J., see PAYNE, R. B.
SKUTCH, A. F., Display of Yellow-billed
Cotinga, 115-6.

Snow, B. K., Bearded Bellbird in Trinidad, 299-329.

Song,

Auditory feedback, 544-8. Duetting, 106-8, 173-83. Notation, 151-72.

STONEHOUSE, B., Geographic variation in Gentoo Penguin, 52-57.

Trinidad, 267-8, 299-329.

Traylor, M. A., Notes on African Muscica-pidae, 395-7.

East African Bradornis, 513-31.

URBAN, E. K., see BAXTER, R. M.

Woods, R. W., Ecology of tussock island in Falkland Is., 15-24.

Great Shearwater breeding in Falkland Is., 259-60.

Young, C. M., Territory in Shelduck, 330-5.

ZIMMERMAN, D. A., Nesting record of Circaetus fasciolatus, 264.

INDEX OF SCIENTIFIC NAMES

Each name is indexed under its genus and its species and, where trinominal, also under its subspecies.

Names appearing in **bold** type are of newly described subspecies.

aalge, Uria, 35, 105, 540. Abroscopus hodgsoni, 484. abyssinicus, Coracias, 262. Acanthis cannabina, 42. Accipiter badius, 475. brevipes, 444. gentilis, 30. nisus, 30, 265. shikra, 479. acredula, Phylloscopus t., 220. Acrocephalus arundinaceus. 38, 79. - concinnens, 484. - palustris, 263. - schoenobaenus, 38, 59, 81, 221—2, 263. scirpaceus, 38, 59, 81, 263. Actitis macularia, 235. acuta, Anas, 262. acutipennis, Chordeiles, 238. Adamastor cinereus, 113, 232. adjuncta, Stachyris, 482. aedon, Troglodytes, 240. aegithaloides, Leptasthenura, 239. Aegypius monachus, 444. aenobarbus, Pteruthius, 487 aequinoctialis, Procellaria, 17, 232, 259. Aeronautes andecolus, 238. aeruginosus, Circus, 32, 262. aethereus, Phaethon, 391, 536. aethiopicus, Laniarius, 106. Aethopyga ezrai, 487. gouldiae, 487. nipalensis, 487. afer, Euplectes, 476. Alauda arvensis, 37. alaudinus, Phrygilus, 240. alba, Calidris, 236. —, Gygis, 364, 365, 385, 393, 533. -, Motacilla, 37, 262. , Procnias, 299 -, Pterodroma, 364-6. Tyto, 35, 238, 266. albellus, Mergus, 30. albiceps, Elaenia, 239. albicollis, Ficedula, 494. , Merops, 79. , Muscicapa, 498. , Zonotrichia, 62, 82, 223. albigularis, Nesofregetta, 364, 365, 371. albiventer, Phalacrocorax, 20. albogularis, Garrulax, 105. albus, Casmerodius, 233. Alca, 105. torda, 35, 540. Alcedo atthis, 36. Alectoris barbara, 32. · rufa, 105. alexandrinus, Charadrius, 33, 235, 262. alle, Plautus, 541.

alpina, Tringa, 199, 207, 265. ambigua, Stachyris, 482. americana, Chloroceryle, 238. -, Fulica, 235 -, Pluvialis, 224. -, Spiza, 224. Ammospiza caudacuta, 539. maritima, 539. amyae, Napothera e., 486. Anairetes reguloides, 239. Anas acuta, 262. - bahamensis, 234. capensis, 262. - cyanoptera, 234 - discors, 234, 333. - flavirostris, 494. - formosa, 444. - georgica, 234. - platyrhynchos, 333, 491. - querquedula, 262. spinicauda, 16. anatum, Falco p., 234. andecolus, Aeronautes, 238. Anous, 105. stolidus, 364, 365, 381, 533. tenuirostris, 88, 91, 364, 365, 382, 392. Anser anser, 440. - brachyrhynchus, 440. - rossii, 252. antarcticus, Cinclodes, 19. -, Podilymbus p., 232. Anthus bertheloti, 268. - campestris, 37, 263. - cervinus, 37. gustavi, 444. -lutescens, 240. - pratensis, 37. spinoletta, 37.trivialis, 37, 79, 263. antipodes, Megadyptes, 248. antoniae, Carpodectes, 115. Antrostomus vociferus, 158-9. Apalis melanocephala, 396. rufogularis, 396. Aphrastura spinicauda, 17. Aphriza virgata, 235. apiaster, Merops, 36. apicauda, Sphenurus, 486. , Treron, 486. apivorus, Pernis, 30. Aptenodytes patagonica, 57. Apteryx, 243. Apus apus, 36, 248. - melba, 36. pallidus, 36. aquaemontis, Bradornis p., Aquila chrysaëtos, 31. - heliaca, 31. - rapax, 475. arborea, Lullula, 37. Arborophila charltoni, 481. arctica, Fratercula, 35, 540.

-, Gavia, 28.

Ardea cinerea, 29, 262, 429. purpurea, 29, 262, 429. Ardeola ralloides, 262. Arenaria interpres, 235, 268. argentatus, Larus, 34, 83, 247, 254. 263, 333, 340-62, 488-98. argenteus, Larus a., 345, 393. ariel, Fregata, 364, 365, 377. aristotelis, Phalacrocorax, 29, 248, 255. arminjoniana. Pterodroma. arquata, Numenius, 33, 152. arundinaceus, Acrocephalus, 38, 79. arvensis, Alauda, 37. asiatica, Nectarinia, 485. Zenaida, 238. Asio flammeus, 19. assimilis, Puffinus, 371. Astrapia meyeri, 326. ater, Haematopus, 16, 235. Athene noctua, 35. atrata, Zoothera m., 487 atratus, Coragyps, 234, 313. atricapilla, Sylvia, 38, 155, 266, 268. atthis, Alcedo, 36. audouinii, Larus, 34. aura, Cathartes, 19, 234. aureola, Rhipidura, 485. auriculata, Zenaida, 238. aurifrons, Bolborhynchus, 238. auritus, Phalacrocorax, 111. , Podiceps, 29. auroreus, Phoenicurus, 483. australis, Phalcobaenus, 17. averano, Procnias, 299. Aythya fuligula, 30, 441. - marila, 30.

bahamensis, Anas, 234. bairdii, Calidris, 236. barbara, Alectoris, 32. barbarus, Laniarius, 106, 176. barbatus, Gypaetus, 336. -, Pycnonotus, 61. -, Spinus, 21. bassana, Sula, 29, 112, 242, 247, 394. Batis orientalis, 396. beaulieui, Paradoxornis n., beema, Motacilla f., 69. belcheri, Larus, 237. , Pachyptila, 16, 232, bellicosa, Pezites m., 240. berard, Pelecanoides u., 17. bergii, Thalasseus, 364, 365, 380.

badius, Accipiter, 475.

bafirawari, Bradornis p., 527.

bernicla, Branta, 252. bertheloti, Anthus, 268. biarmicus, Falco, 32, 76, 263. Bias, 395. bilineatus, Pogoniulus, 173. bipartitus, Phrygilus a., 240. blanci, Aethopyga n., 487. bohmi, Trachyphonus d., 180. Bolborhynchus aurifrons, 238. bollei, Columba, 265, 266. bonelli, Phylloscopus, 39. borealis, Procellaria, 29. borin, Sylvia, 155. bougainvillii, Phalacrocorax, 233. bourreti, Chaetura c., 482, bowdleri, Bradornis p., 526. brachydactyla, Calandrella, 266. , Certhia, 41. brachypterus, Buteo, 400.
—, Tachyeres, 19. brachyrhynchus, Anser, 440. Bradornis, 397. granti, 526. - griseus, 513, 528. - microrhynchus, 521-3 microrhynchus burae, subsp. nov., 522.

— pallidus, 526–9. - pallidus duyerali, subsp. nov., 527.

— pumilus, 522. Bradypterus taczanowskius, 484. thoracicus, 484, 485. Branta bernicla, 252. brevicauda, Muscigralla, 239. brevipes, Accipiter, 444. brookei, Falco p., 32. Brotogeris jugularis, 176. Bubo bubo, 35. Bubulcus ibis, 29, 233, 241. Bucanetes githaginea, 266, 268. Buccanodon leucotis, 181. Bucephala clangula, 30. bulocki, Merops, 257. Bulweria mollis, 393. burae, Bradornis microrhynchus, subsp. nov., 522. Burhinus oedicnemus, 263, 266, 268. 33. - superciliaris, 236. burmanica, Rhipidura a., 485. -, Saxicola c., 483, 486. Buteo brachypterus, 400. - buteo, 31. polyosoma, 234. rufinus, 30. - striatus, 233, 241. Bycanistes cristatus, 557.

cabanisi, Chloroceryle a., 238. cabaret, Carduelis f., 227. cachinnans, Larus, 34, 362, 497.

caerulea, Florida, 233, 241. caeruleus, Elanus, 475. -, Parus, 41, 108, 154. calandra, Emberiza, 41, 155. -, Melanocorypha, 36. Calandrella brachydactyla, - cinerea, 36, 263. rufescens, 36. Calidris alba, 236. - alpina, 199, 207, 265. - bairdii, 236. - fuscicollis, 236, 444. - maritima, 262 - melanotos, 236. - minuta, 199, 207, 262. - pusilla, 236. - testacea, 199, 203. Camarhynchus pallidus, 542. campestris, Anthus, 37, 263. canadensis, Grus, 337. canarius, Serinus, 268. cannabina, Acanthis, 42. -, Carduelis, 268. canorus, Cuculus, 35, 152, 247. cantillans, Sylvia, 39, 72, 222, 263. canus, Larus, 34. capensis, Anas, 262.

—, Daption, 232, 246. , Hyphantornis, 480. Zonotrichia, 240. capitalis, Ploceus, 470. caprata, Saxicola, 483, 486. Caprimulgus europaeus, 36. longirostris, 238. ruficollis, 36. caprius, Chrysococcyx, 475. carbo, Phalacrocorax, 29. cardinalis, Richmondena, 544, 548. cardis, Turdus, 484. Carduelis cannabina, 268. - carduelis, 42, 266, 399. - chloris, 42. - flammea, 227. spinus, 42. pensis, Steatornis, 303, caripensis, 318, 329. carolina, Porzana, 223. carolinensis, Pandion h., 234. Carpodacus mexicanus, 456. Carpodectes antoniae, 115. hopkei, 115. nitidus, 115. Casmerodius albus, 233. castaneiceps, Seicercus, 484. castaneofuscus, Ploceus, 473. castanotis, Taeniopygia, 254. castro, Oceanodroma, 391, 394. 246, Catharacta skua, 22, 113, 236. Cathartes aura, 19, 234. Catoptrophorus semipalmatus, 236. caudacuta, Ammospiza, 539. , Chaetura, 482, 486. caudatus, Theristicus, 233. cauta, Diomedea, 232. celata, Vermivora, 540. Centropus senegalensis, 475.

Cephalopterus ornatus, 325, 329. Cercotrichas galactotes, 40. Cereopsis novae-hollandiae, 442 Certhia brachydactyla, 41. - discolor, 486 certhiola, Locustella, 184. 364. cerulea, Procelsterna, 365, 380, 533. cervinus, Anthus, 37. Cettia cetti, 38 cetti, Cettia, 38. Chaetura, 324. - caudacuta, 482, 486. gigantea, 482. pelagica, 238, 241. Charadrius alexandrinus, 33, 235, 262. - dubius, 200, 262, 265. hiaticula, 200. - leschenaultii, 444 semipalmatus, 235. squatarola, 265. vociferus, 235. charltoni, Arborophila, 481. Chen hyperborea, 253. chiguanco, Turdus, 240. chihi, Plegadis, 233, 241 chilensis, Catharacta s., 236.
—, Oceanites o., 232. -, Phoenicopterus, 234. -, Podiceps r., 232. chimango, Milvago, 532. chiquera, Falco, 76, 475. Chiroxiphia pareola, 327. Chlamydotis undulata, 444. Chlidonias, 105. hybrida, 34. niger, 34. Chloëphaga hybrida, 19. Chloris chloris, 448, 456. chloris, Carduelis, 42. Chloroceryle americana, 238. Chlorophanes spiza, 312. chloropus, Gallinula, 105, 235, 262. chlororhynchos, Diomedea, 113. Chordeiles acutipennis, 238. chrysaëtos, Aquila, 31. chrysocercus, Merops s., 262. Chrysococcyx, 480.
—— caprius, 475. chrysoconus, Pogoniulus, 61, 173. chrysogaster, Pheucticus c., 240. chrysolophus, Eudyptes, 22. chrysopeplus, Pheucticus, 240, 241. chyuluensis, Bradornis p., 528. cia, Emberiza, 41. Ciconia ciconia, 29. nigra, 29. Cinclodes antarcticus, 19. nigrofumosus, 238. cinerascens, Circaetus, 118. cinerea, Ardea, 29, 262, 429. -, Calandrella, 36, 263. -, Motacilla, 37, 262, 268.

cinereocapilla, Motacilla f., cinereum, Conirostrum, 240. cinereus, Adamastor, 113, -, Circaetus, 264. Circus, 234. Circaetus cinerascens, 118. - cinereus, 264. - fasciolatus, 117, 264. - gallicus, 31, 264, 475. Circus aeruginosus, 32, 262. cinereus, 234.cyaneus, 31, 262. - macrourus, 31, 76, 262, 444. pygargus, 32. cirlus, Emberiza, 41. cirrocephalus, Larus, 237, 241. Cisticola, 396. juncidis, 39. Cistothorus platensis, 20. citrinella, Emberiza, 227. Clamator glandarius, 35. Clangula hyemalis, 441. clangula, Bucephala, 30. cocachacrae, Pyrocephalus r., 239. Coccothraustes coccothraustes, 42. coelebs, Fringilla, 42, 227, 266, 540, 548. 81, Colius macrourus, 61. collaris, Prunella, 38. -, Trogon, 311. collurio, Lanius, 37, 114, 192, 215, 217, 225. collybita, Phylloscopus, 39, 152, 263, 268. Columba bollei, 265, 266. - livia, 35, 454. oenas, 35. palumbus, 35, 323, 454. columbarius, Falco, 32. Columbina cruziana, 238. communis, Sylvia, 38, 152, 215, 220, 225, 262. concinnens, Acrocephalus, 484. concolor, Falco, 263. , Xenospingus, 240. confusus, Lanius c., 184. Conirostrum cinereum, 240. conspicillata, Sylvia, 39. constantiae, Yuhina f., 487. Contopus virens, 158. contra, Pelecanus o., 233. Coracias abyssinicus, 262. — garrulus, 36. Coragyps atratus, 234, 313. corax, Corvus, 43, 118. coronata, Hemiprocne 1., 482. corone, Corvus, 397. Corvus corax, 43, 118. — corone, 397. - frugilegus, 448, 454, 456. - monedula, 43, 492. Coturnix coturnix, 32, 153, 215, 225. Creagrus furcatus, 237, 391, 394.

creatopus, Puffinus, 232. crestatus, Eudyptes, 19. Crex crex, 33. cristata, Galerida, 36. cristatus, Bycanistes, 557. , Lanius, 184. Crotophaga sulcirostris, 238. crumeniferus, Leptoptilos, 501. cruziana, Columbina, 238. cucullatus, Hyphantornis, 480. -Ploceus, 93-104, 457-80. -, Textor, 457, 479. Cuculus canorus, 35, 152, 247. Culicicapa, 395. Cuncuma vocifer, 475. cuneicauda, Thinocorus r., cunicularia, Geositta, 238. -, Speotyto, 238. curruca, Sylvia, 38, 72, 215, 221, 225. cursor, Cursorius, 265. Cursorius cursor, 265. curvirostra, Loxia, 42. cyanea, Passerina, 223. cyanecula, Cyanosylvia 40. cyaneus, Circus, 31, 262. cyanoleuca, Notiochelidon, cyanomelana, Muscicapa, 485. cyanoptera, Anas, 234. Cyanosylvia svecica, 40, 262. cyanus, Parus, 444. Cypseloides rutilus, 324.

dabryii, Aethopyga g., 487. dactylatra, Sula, 364, 365, 375, 533. Daption capensis, 232, 246. darnaudii, Trachyphonus, 173, 179. daurica, Hirundo, 37, 263. davidi, Muscicapa, 485. -, Niltava, 485. , Stachyris r., 482. davisoni, Zoothera s., 483. decumanus, Psarocolius, 312, decussatus, Caprimulgus I., deglandi, Melanitta, 441. delacouri, Saxicola t., 483, 486. Delichon urbica, 37, 263. Dendrocopos major, 266. medius, 266. Dendroica striata, 70, 82. denotata, Muscicapa s., 485. , Niltava s., 485. deserticolor, Geositta c., 238.

desolata, Pachyptila, 232, 241,

diademata, Lybius I., 181.

246, 255.

Dicaeum melanoxanthum, 485. Dicrorhynchus frantzii, 173. Diomedea, 243. - cauta, 232. chlororhynchos, 113. - irrorata, 392. - melanophris, 16, 232. diomedea, Procellaria, 29. Dioptrornis, 397. discolor, Certhia, 486. discors, Anas, 234, 333. dissimilis, Turdus, 484. Dissoura episcopus, 504. Diuca diuca, 532. divisus, Bradornis p., 529. Dolichonyx oryzivorus, 159, 223. dombrowskii, Motacilla f., 69. domesticus, Gallus, 252. —, Passer, 1, 42, 240, 248, 448, 456, 468, 494, 532. dominica, Pluvialis, 235. dominicanus, Larus, 22, 237. dorsalis, Gymnorhina, 454. Dryonastes varennei, 487. Dryoscopus, 395. dubius, Charadrius, 200, 262, 265. duyerali, Bradornis pallidus, subsp. nov., 527. Dyaphorophyia, 395. Dysithamnus mentalis, 267.

eburnea, Pagophila, 444. Egretta garzetta, 29, 262, 265, 268. - thula, 233. egretta, Casmerodius a., 233. Elaenia albiceps, 239. Elanus caeruleus, 475. elegans, Sterna, 237. ellsworthi, Pygoscelis p., 53, 57. Elminia, 395. Emberiza calandra, 41, 155. cia, 41. --- cirlus, 41. - citrinella, 227. --- hortulana, 41. - schoeniclus, 42, 154. emini, Trachyphonus d., 180. Empidornis, 397. engelbachi, Macropygia r., 481. epilepidota, Napothera, 486. epilepidotus, Turdinulus, 486. episcopus, Dissoura, 504. epops, Upupa, 36, 153, 263, 268. Eremomela, 396. Erithacus rubecula, 40, 151, 155, 243, 266. erlangeri, Bradornis p., 527. erythrocephala, Pipra, 303, 327. erythrocephalus,

Trachyphonus, 173, 179.

Erythrocercus, 395.

erythrogaster, Hirundo r., 239.
— Laniarius, 106.
erythrophthalma, Netta, 234.
erythropus, Tringa, 265.
erythrorhynchos, Pelecanus, 111, 509.
Eudyptes, chrysolophus, 22.
— crestatus, 19.
Euplectes, 61.
— afer, 476.
europaeus, Caprimulgus, 36.
excubitor, Lanius, 266, 268.
exilis, Chordeiles a., 238.
ezrai, Aethopyga, 487.

falcklandii, Turdus, 20. Falco biarmicus, 32, 76, 263. - chiquera, 76, 475. - columbarius, 32. - concolor, 263 - femoralis, 234. - naumanni, 32, 262. newtoni, 400. peregrinus, 32, 148, 234, 263, 265. - sparverius, 235. - subbuteo, 32. tinnunculus, 32, 268. 401. zoniventris, 400. fanny, Myrtis, 238. fasciatus, Hieraaetus, 31. , Myiophobus, 239. fasciolatus, Circaetus, 117, feldegg, Motacilla f., 69. femoralis, Falco, 234. ferruginea, Oxyura j., 234. ferrungineus, Laniarius, 176. Ficedula, 219. albicollis, 494. - hypoleuca, 40, 79, 151, 242, 494, flammea, Carduelis, 227. flammeus, Asio, 19. flava, Motacilla, 37, 59, 69, 73, 81, 82, 208, 221, 228, 262. flavicollis, Yuhina, 487. flavipes, Tringa, 235. flavirostris, Anas, 494. —, Phibalura, 256. Florida caerulea, 233, 241. foetens, Coragyps a., 234. foetidus, Gymnoderus, 256, 325, 329. formosa, Anas, 444. Foudia madagascariensis, 97. frantzii, Dicrorhynchus, 173. Fraseria, 397. Fratercula arctica, 35, 540. fratercula, Lunda, 105. Fregata ariel, 364, 365, 377.
— magnificens, 393, 535.
— minor, 364, 365, 376, 533. Fregetta tropica, 114. Fringilla coelebs, 42, 81, 227, 266, 540, 548. montifringilla, 42, 72,

82, 454, 456.

frugilegus, Corvus, 448, 454, 456.
Fulica, 105.
— americana, 235.
fulicarius, Phalaropus, 33, 236.
fuliginosus, Larus, 394.
fuligula, Aythya, 30, 441.
Fulmarus glacialis, 44, 48, 51, 246.
— glacialoides, 232.
fulva, Pluvialis a., 224.
fulvus, Gyps, 32.
fulvus, Gyps, 32.
fumigatus, Turdus, 313.
furcatus, Creagrus, 237, 391, 394.
— Larus, 391.
fusca, Melanitta, 441.
— , Phoebetria, 113.
fuscata, Sterna, 364, 365, 377, 392, 533, 536.
fuscicollis, Calidris, 236, 444.
fuscus, Larus, 34, 92, 247,

Finoebetha, 113.
fuscata, Sterna, 364, 365, 377, 392, 533, 536.
fuscicollis, Calidris, 236, 444.
fuscus, Larus, 34, 92, 247, 254, 346–362, 393, 488–498. gabar, Micronisus, 475. gaimardi, Phalacrocorax, 233. galactotes, Cercotrichas, 40. Galbula ruficauda, 257. galbula, Icterus, 159. Galerida cristata, 36. gallicus Circaetus, 31, 264, 475. Gallinago gallinago, 33, 262. Gallinula chloropus, 105, 235, 262. Gallus domesticus, 252. garnotii, Pelecanoides, 233. Garrodia nereis, 20. Garrulax albogularis, 105. - maesi, 487. - monileger, 482. - mouhoti, 482. Garrulus glandarius, 43. garrulus, Coracias, 36. garzetta, Egretta, 29, 262, 265, 268. Gavia arctica, 28.
—— immer, 28. stellata, 28. gentilis, Accipiter, 30. georgica, Anas, 234. Geositta cunicularia, 238. Geranoaetus melanoleucus, 234. gigantea, Chaetura, 482. giganteus, Macronectes, 232, 533. githaginea, Bucanetes, 266, 268. -, Rhodopechys, 42. glacialis, Fulmarus, 44, 48, 51, 246. glacialoides, Fulmarus, 232. glandarius, Clamator, 35. –, Garrulus, 43. glareola, Tringa, 199, 207, 262. glaucescens, Larus, 358, 488, 498.

glaucoides, Larus, 354. Pycnonotus, goiavier, 245, 255. goughensis, Rowettia, 114. gouldiae, Aethopyga, 487. gracilis, Oceanites, 232. graellsii, Larus f., 34, 492, 498. granti, Bradornis, 526. graueri, Ploceus c., 457, 467. gravis, Puffinus, 17, 24, 112, 259. gregarius, Vanellus, 444. grisescens, Leptasthenura a., 239. griseus, Bradornis p., 513, 528. Puffinus, 17, 232, 247, 255, 259, 388, 394. , Telmatodytes p., 254. Grus canadensis, 337. gryphus, Vultur, 234. guifsobalito, Lybius, 173. gularis, Yuhina, 482. gustavi, Anthus, 444. guttata, Hylocichla, 160. —, Taeniopygia, 494. guyi, Phaethornis, 327. Gygis alba, 364, 365, 385, 393, 533. Gymnoderus foetidus, 256, 325, 329. Gymnorhina dorsalis, 454. Gypaetus barbatus, 336. Gyps fulvus, 32.

haemacephala, Megalaima, 173. Haematopus ater, 16, 235. ostralegus, 242, 254. haliaetus, Pandion, 30, 234, 265. hamiltoni, Catharacta s., 113. harmandi, Polihierax i., 481. harrietae, Aethopyga g., 487. harrisi, Nannopterum, 391. , Phalacrocorax, 391. heliaca, Aquila, 31. Hemiprocne longipennis, 482. heraldica, Pterodroma a., 533. heuglini, Larus, c., 362. hiaticula, Charadrius, 200. Hieraaetus fasciatus, 31. - pennatus, 31, 262. Himantopus himantopus, 33, 200, 236, 241, 262. himantopus, Micropalama, 236, 241. Hippolais icterina, 262. - pallida, 38, 63, 262. - polyglotta, 38. hirundinacea, Sterna, 22, 237. Hirundo daurica, 37, 263. rupestris, 37. rustica, 37, 74, 215, 217, 225, 239, 263. hirundo, Sterna, 35. hispanica, Oenanthe, 40, 263, 403.

hispaniolensis, Passer, 6, 14, 42, 263. hoactli, Nycticorax n., 233. hodgsoni, Abroscopus, 484. hopkei, Carpodectes, 115. hornbyi, Oceanodroma, 232. hortensis, Sylvia, 38. hortulana, Emberiza, 41. hudsonicus, Numenius p., 236, 241. Humblotia, 397. humboldti, Spheniscus, 232. hybrida, Chlidonias, 34. -, Chloëphaga, 19. Hydrobates pelagicus, 29, 246, 261. hyemalis, Clangula, 441. Junco, 226. Hyliota, 395. Hylocichla guttata, 160. hyperborea, Chen, 253. hyperboreus, Larus, 83-91, 340-362, 444. Hyphantornis capensis, 480. - cucullatus, 480. hypoleuca, Ficedula, 40, 79, 151, 242, 494. -, Muscicapa, 498. Zenaida a., 238. hypoleucos, Tringa, 33, 200, 262, 268.

iberiae, Motacilla f., 37, 69. ibis, Bubulcus, 29, 233, 241. icterina, Hippolais, 262. Icterus galbula, 159. nigrogularis, 324. ignicapillus, Regulus, 39. iliacus, Turdus, 41. immer, Gavia, 28. inca, Larosterna, 237. incerta, Pterodroma, 113. inornatus, Catoptrophorus s., 236. , Phylloscopus, 444. insignis, Polihierax, 481. intermedia, Nectarinia a., 485. intermedius, Buteo b., 31. -, Pteruthius a., 487. interpres, Arenaria, 235, 268. irrorata, Diomedea, 392. isabellina, Oenanthe, 263.

Jabiru mycteria, 233. jacarina, Volatinia, 240. jamaicensis, Oxyura, 234. jota, Cathartes a., 234. jugularis, Brotogeris, 176. juncidis, Cisticola, 39. Junco hyemalis, 226. juxtus, Lanius c., 217. Jynx torquilla, 36, 262.

kelsalli, Oceanodroma t., 232.

lacrymosus, Lybius, 173. laeneni, Hippolais p., 63. Lagopus lagopus, 246, 254. Laniarius aethiopicus, 106. - barbarus, 106, 176. - erythrogaster, 106. - ferrugineus, 176. Lanius collurio, 37, 114, 192, 215, 217, 225. - cristatus, 184. excubitor, 266, 268. - schach, 196. senator, 38. tigrinus, 196. laotiana, Certhia d., 486. Treron a., 486. laotianus, Pteruthius a., 487. —, Sphenurus a., 486. Larosterna inca, 237. Larus, 105. - argentatus, 34, 83, 247, 254, 263, 333, 340-62, 393, 488-98. audouinii, 34. belcheri, 237. - cachinnans, 34, 362, 497. canus, 34. cirrocephalus, 237, 241. dominicanus, 22, 237. fuliginosus, 394. furcatus, 391. — fuscus, 34, 92, 247, 254, 346–62, 393, 488–98. glaucescens, 358. glaucoides, 354. hyperboreus, 83-91, 340-62, 444. maculipennis, 22. marinus, 34, 83-91, 247, 345, 498. melanocephalus, 34, 444. minutus, 34, 88. – modestus, 237. – nelsoni, 358. pipixcan, 237. - ridibundus, 34, 393. - serranus, 237. - thayeri, 357, 358. Leistes militaris, 532. Leptasthenura aegithaloides, 239. Leptoptilos crumeniferus, 501. Leptopogon superciliaris, 325. lepturus, Phaethon, 388, 536. leschenaultii, Charadrius, 444. leucocephala, Oxyura, 444. leucocephalus, Lybius, 173. leucogaster, Sula, 364, 365, 375. leucomela, Oenanthe, 403. leucomelas, Lybius, 173, 181.
—, Tricholaema, 173. leucometopa, Ochthoeca 1., 239. Leucophaeus scoresbii, 22. leucophrys, Ochthoeca, 239. -, Zonotrichia, 548. Melanocorypha, leucoptera, 444. leucopterus, Phoenicurus a., 483.

leucorrhoa, Oceanodroma, 260. -, Oenanthe o., 40. leucosoma, Bradornis p., 528. leucotis, Buccanodon, 181. leucura, Oenanthe, 40. lherminieri, Puffinus, 254, 364, 365, 370. 243. Lipaugus, 115. unirufus, 316, 325. littorale, Conirostrum c., 240. livia, Columba, 35, 454. loaensis, Phleocryptes m., -, Tachuris r., 239. lobatus, Lobipes, 236. -, Phalaropus, 33. Lobipes, lobatus, 236. Locustella certhiola, 184. naevia, 38. lomvia, Uria, 541. Lonchura striata, 494. longipennis, Hemiprocne, 482. longirostris, Caprimulgus, 238. lorata, Sterna, 237. Loxia curvirostra, 42. lucionensis, Lanius c., 184. luctuosa, Sterna f., 536. ludovicianus, Pheucticus, 105. lugens, Oenanthe, 263. ——, Pterodroma, 113. Lullula arborea, 37. lunata, Sterna, 364, 365, 379, 533, 536. Lunda fratercula, 105. Luscinia luscinia, 215, 218, 225. megarhynchos, 40, 155, 158, 215, 218, 225, 262. luteolus, Ploceus, 476. luteoventris, Tribura, 484. lutescens, Anthus, 240. Lybius guifsobalito, 173. - lacrymosus, 173. leucocephalus, 173. leucomelas, 173, 181. - melanopterus, 173. minor, 173. torquatus, 173. vieilloti, 173, 176. lychnis, Niltava d., 485. macloviana, Muscisaxicola, 22, 239. Macronectes giganteus, 232,

22, 239.

Macronectes giganteus, 232, 533.

macroptera, Pterodroma, 113.

Macropygia ruficeps, 481.

macroura, Zenaidura, 159.

macrourus, Circus, 31, 76, 262, 444.

——, Colius, 61.
macularia, Actitis, 235.
maculipennis, Larus, 22.
maculirostris, Muscisaxicola,
239.
madagascariensis, Foudia, 97.

maesi, Garrulax, 487. magellanicus, Phalacrocorax, 22. -, Scytalopus, 17. -, Spheniscus, 17. -, Spinus, 240. magnificens, Fregata, 393, major, Dendrocopos, 266. -, Parus, 14, 41, 109, 242, 254, 255. Manacus manacus, 243, 255, 303, 327, 329. mandarinus, Turdus m., 483. marila, Aythya, 30. marinus, Larus, 34, 83–91, 247, 345, 498. maritima, Ammospiza, 539. -, Calidris, 266. markhami, Oceanodroma, 232. martinica, Porphyrula, 235. mauretanicus, Puffinus p., medius, Dendrocopos, 266. Megabyas, 395. Megadyptes antipodes, 248. Megalaima haemacephala, 173. virens, 173. megalopterus, Phalcoboenus, 234. megarhynchos, Luscinia, 40, 155, 158, 215, 218, 225, 262. Melaenornis, 397. Melanerpes striatus, 399. Melanitta deglandi, 441. - fusca, 441. - nigra, 30, 441. melanocephala, Apalis, 396. —, Sylvia, 266, 268. melanocephalus, Larus, 34, 444. -, Ploceus, 478. -, Sylvia, 39. Melanocorypha calandra, 36. Melanocorypha leucoptera, 444. veltoniensis, 444. melanogrisea, Motacilla f., 69. melanoleuca, Fregetta t., 114. , Tringa, 235. melanoleucus, Geranoaetus, 234. melanopis, Theristicus c., 233. melanophris, Diomedea, 16, 232. melanops, Phleocryptes, 239. melanopterus, Lybius, 173. Melanopteryx nigerrimus, 93-104. melanotos, Calidris, 236. melanoxanthum, Dicaeum, 485. melba, Apus, 36. Melierax metabates, 76. meloda, Zenaida a., 238. mentalis, Dysithamnus, 267. -, Muscisaxicola m., 239. -, Pipra, 327. Mergus albellus, 30

- serrator, 30, 441.

Caprimulgus meridionalis. e., 36. Merops albicollis, 79. apiaster, 36.
bulocki, 257. - superciliosus, 262. merula, Turdus, 41, 247, 255, 268, 483. metabates, Melierax, 76. mexicanus, Carpodacus, 456. -, Himantopus h., 236. meyeri, Astrapia, 326. michahellis, Larus a., 34. Micronisus gabar, 475. Micropalama himantopus, 236, 241. microrhynchus, Bradornis, 521, 522, 523. migrans, Milvus, 30, 262, 400. militaris, Leistes, 532. militaris, Pezites, 17, 240. Milvago chimango, 532 Milvus migrans, 30, 262, 400.
— milvus, 30, 265. minor, Fregata, 364, 365, 376, 533. -, Lybius, 173. -, Phoeniconaias, 199. minuta, Calidris, 199, 207, minutus, Larus, 34, 88. modesta, Elaenia a., 239. -, Progne, 239. modestus, Bradornis p., 528. -, Larus, 237. mollis, Bulweria, 393. , Pterodroma, 113, 390. mollissima, Somateria, 333, 439, 441. monachus, Aegypius, 444. monedula, Corvus, 43, 492. monileger, Garrulax, 482. monorhis, Oceanodroma, 260. montanus, Passer, 1, 494. Monticola saxatilis, 40, 263. solitarius, 40, 263. monticola, Zoothera, 487. montifringilla, Fringilla, 42, 72, 82, 454, 456. Motacilla alba, 37, 262. -- cinerea, 37, 262, 268. -- flava, 37, 59, 69, 70, 73, 81, 82, 208, 221, 228, 262. mouhoti, Garrulax, 482 muraria, Tichodroma, 41. murinus, Bradornis p., 528. murphyi, Progne m., 239. Muscicapa, 397 - albicollis, 498. - cyanomelana, 485. - davidi, 485. - hypoleuca, 498. pallida, 526. striata, 40, 215, 218, 225, 246. sundara, 485. Muscigralla brevicauda, 239. Muscisaxicola macloviana, 22, maculirostris, 239. musculus, Troglodytes, 19.

mycteria, Jabiru, 233.

Myiochanes virens, 171. Myioparus, 397. Myiophobus fasciatus, 239. Myrtis fanny, 238.

naevia, Locustella, 38. Nannopterum harrisi, 391. nanodes, Speotyto c., 238. Napothera epilepidota, 486. nativitatis, Puffinus, 364, 365, 368, 533, 537. naumanni, Falco, 32, 262. nebouxii, Sula, 111, 233, 391. nebularia, Tringa, 200, 262. Nectarinia asiatica, 485. neglecta, Pterodroma, 533. nelsoni, Larus, 358. Neophron percnopterus, 32, 266, 268, 542. nereis, Garrodia, 20. nesiotis, Porphyriornis, 114. Nesofregetta albigularis, 364, 365, 371. Netta erythrophthalma, 234. neumanni, Bradornis m., 522. newtoni, Falco, 400. Newtonia, 397. niger, Chlidonias, 34. nigeriae, Bradornis p., 526. nigerrimus, Melanopteryx, 93-104. -, Ploceus, 473, 480. nigra, Ciconia, 29.
——, Melanitta, 30, 441. -, Rynchops, 237. nigrescens, Apalis r., 396. nigriceps, Ploceus, 457 nigricollis, Podiceps, 29. nigrofumosus, Cinclodes, 238. nigrogularis, Icterus, 324. Nilaus, 395 Niltava sundara, 485. nipalensis, Aethopyga, 487. —, Paradoxornis, 487. nisus, Accipiter, 30, 265. nitidus, Carpodectes, 115. nivea, Pagodroma, 246. noctua, Athene, 35. Nothoprocta perdicaria, 532. Notiochelidon cyanoleuca, 239. novae-hollandiae Cereopsis, 442. nudipes, Chaetura c., 482. Numenius arquata, 33, 152.

— phaeopus, 33, 236. tenuirostris, 444. Nycticorax nycticorax, 21, 29, 233.

obscurus, Turdus, 444.
occidentalis, Charadrius a., 235.
—, Pelecanus, 233, 391, 501.
oceanicus, Oceanites, 16, 232.

Oceanites gracilis, 232. oceanicus, 16, 232, Oceanodroma castro, 246, 391, 394. hornbyi, 232. - leucorrhoa, 260. - markhami, 232. - monorhis, 260. ochropus, Tringa, 33, 262. ochruros, Phoenicurus, 40. 403. Ochthoeca leucophrys, 239. oedicnemus, Burhinus, 263, 266, 268. 33. Oenanthe hispanica, 40, 263, 403. - isabellina, 263. - leucomela, 403. — leucura, 40. --- lugens, 263. oenanthe, 40, 72, 222, 263. pleschanka, 403. oenas, Columba, 35. oleaginea, Pipromorpha, 312, olivacea, Arborophila c., 481. -, Piranga, 223. olivaceus, Hyphantornis c. 480. -, Vireo, 223. onocrotalus, Pelecanus, 336, 339, 501, 512. Oreopholus ruficollis, 235. orientalis, Batis, 396. Oriolus oriolus, 42, 215, 219, 225. ornatus, Cephalopterus, 325, oryzivorus, Dolichonyx, 159, 223. Psomocolax, 324. ostralegus, Haematopus, 242, 254. Otis tarda, 33. Otus scops, 35, 263. Oxyura jamaicensis, 234. -leucocephala, 444.

Pachyptila belcheri, 16, 232, 241. desolata, 232, 241, 246, 255. Pachyramphus, 323. pacificus, Puffinus, 364, 365, 368. Pagodroma nivea, 246. Pagophila eburnea, 444. pallida, Hippolais, 38, 63, 262. , Muscicapa, 526. pallidus, Apus, 36. -, Bradornis, 526-9. —, Camarhynchus, 542. palumbus, Columba, 35, 323, 454. palustris, Acrocephalus, 263. Telmatodytes, 254. Pandion haliaëtus, 30, 234, 265.

papua, Pygoscelis, 52, 57. paradisaea, Sterna, 35, 237. Paradoxornis nipalensis, 487. verreauxi, 487. paradoxus, Syrrhaptes, 444. parasiticus, Stercorarius, 34, 236. pareola, Chiroxiphia, 327. Parus, 335. -, caeruleus, 41, 108, 154. cyanus, 444. major, 14, 41, 109, 242, 254, 255. parvulus, Aeronautes a., 238. parvus, Bradornis p., 526. pasquieri, Garrulax m., 482. Passer, 61. -domesticus, 1, 42, 240, 248, 448, 456, 468, 494, 532. hispaniolensis, 6, 14, 42, 263. - montanus, 1, 494. Passerculus sandwichensis, 79, 226. Passerina cyanea, 223. patagonica, Aptenodytes, 57. , Notiochelidon c., 239. paulus, Spinus m., 240. pauxilla, Gallinula c., 235. pectoralis, Circaetus g., 264. pelagica, Chaetura, 238, 241. pelagicus, Hydrobates, 29, 246, 261. Pelecanoides garnotii, 233. - urinatrix, 17. Pelecanus erythrorhynchos, 111, 509. occidentalis, 233, 391, 501, 512. onocrotalus, 336, 339, 501. · rufescens, 499. pennatus, Hieraaetus, 31, 262. percnopterus, Neophron, 32, 266, 268, 542. perdicaria, Nothoprocta, 532. peregrinus, Falco, 32, 148, 234, 263, 265. Pernis apivorus, 30. peruviana, Fulica a., 235. -, Volatinia j., 240. peruvianus, Anthus I., 240. -, Charadrius v., 235. , Falco s., 235. , Zonotrichia c., 240. Petrochelidon pyrrhonota, 240, 241. Petronia petronia, 268. Pezites militaris, 17, 240. phaeopus, Numenius, 33, 236. Phaethon, 394. - aethereus, 391, 536. - lepturus, 388, 536. rubricauda, 364, 365, 372, 533. Phaethornis, 312. guyi, 327. Phalacrocorax albiventer, 20. - aristotelis, 29, 248, 255. auritus, 111. - bougainvillii, 233.

gaimardi, 233. harrisi, 391. - magellanicus, 22. sulcirostris, 111. Phalaropus fulicarius, 33, 236. · lobatus, 33. Phalcoboenus, australis, 17. Phalcoboenus megalopterus, Pheucticus chrysopeplus, 240, 241. ludovicianus, 105. Phibalura flavirostris, 256. Philetairus socius, 480. philippinus, Ploceus, 93-104, 460, 480. Philomachus pugnax, 59, 73, 81, 199, 204, 262. philomelos, Turdus, 41. Phleocryptes melanops, 239. Phoebetria fusca, 113. Phoeniconaias minor, 199. Phoenicopterus chilensis, 234. ruber, 30. Phoenicurus auroreus, 483. ochruros, 40, 403 phoenicurus, 40, 219, 225, 262. Phrygilus alaudinus, 240. Phylloscopus, 228. - bonelli, 39 -collybita, 39, 152, 263, 268. - inornatus, 444. - sibilatrix, 39, 246. trochilus, 39, 154, 215, 220, 225, pichinchae, Falco f., 234. pilaris, Turdus, 41. pipixcan, Larus, 237. Pipra erythrocephala, 303, 327. - mentalis, 327. Pipromorpha oleaginea, 312, 325. Piranga olivacea, 223. rubra, 223. plancus, Polyborus, 22, 234. platensis, Cistothorus, 20. Platypsaris, 323. platyrhynchos, Anas, 333, 491. Platysteira, 395. Plautus alle, 541. Plegadis chihi, 233, 241. ridgwayi, 233. pleschanka, Oenanthe, 403. Ploceus, 61. - capitalis, 470. - castaneofuscus, 473. cucullatus, 93-104, 457-80. -luteolus, 476. - melanocephalus, 478. nigerrimus, 473, 480. nigriceps, 457. philippinus, 93-104, 460. spekei, 478. spilonotus, 457. vitellinus, 476.

Phalacrocorax carbo, 29.

Pluvialis americana, 224. dominica, 235 - squatarola, 235. Podiceps, 105. - auritus, 29 - nigricollis, 29. - rolland, 232. ruficollis, 29. podiceps, Podilymbus, 232. Podilymbus podiceps, 232. Pogoniulus bilineatus, 173. — chrysoconus, 61, 173. pusillus, 173. Polihierax insignis, 481. poliogenys, Seicercus, 484. Polyborus plancus, 22, 234. polyglotta, Hippolais, 38. polyosoma, Buteo, 234. pomarinus, Stercorarius, 444. Porphyriornis nesiotis, 114. Porphyrula martinica, 235. Porzana carolina, 223. - pusilla, 444. pratensis, Anthus, 37. Prinia, 396. Procellaria aequinoctialis, 17, 232, 259. - borealis, 29. diomedea, 29. Procelsterna cerulea, 364, 365, 380, 533. Procnias, 325 - alba, 299. averano, 299. - tricarunculata, 116. Progne modesta, 239. Prunella collaris, 38. przevalskii, Bradypterus t., 485. Psarocolius decumanus, 312, 324. Pseudobias, 395. Psomocolax oryzivorus, 324. Pterodroma alba, 364-6. - arminjoniana, 533. incerta, 113. lugens, 113. - macroptera, 113. - mollis, 113, 390. neglecta, 390, 533. Pteruthius aenobarbus, 487. Puffinus assimilis, 371. — creatopus, 232. — gravis, 17, 24, 112, 259. — griseus, 17, 232, 247, 255, 259, 388, 394. Iherminieri, 243, 254, 364, 365, 370. nativitatis, 364, 365, 380, 533, 537. pacificus, 364, 365, 368. puffinus, 29, 242, 255, 389, 394. tenuirostris, 246, 255, 394, 534. pugnax, Philomachus, 59, 73, 81, 199, 204, 262. pumilus, Bradornis m., 522 punicea, Xipholena, 316, 325. punicus, Falco, p., 32. purpurea, Ardea, 29, 262.

pusilla, Calidris, 236.

—, Porzana, 444. —, Spizella, 158. pusillus, Pogoniulus, 173. Pycnonotus barbatus, 61. — goiavier, 78, 245, 255. pygargus, Circus, 32. Pygoscelis papua, 52, 57. Pyrocephalus rubinus, 239. pyrrhonota, Petrochelidon, 240, 241. Pyrrhula pyrrhula, 78.

Quelea quelea, 14, 93–104, 243, 255, 459. querquedula, Anas, 262.

raimondii, Sicalis, 240. ralloides, Ardeola, 262. Rallus sanguinolentus, 235. ramphastinus, Semnornis, 173. Ramphastos vitellinus, 303. rapax, Aquila, 475. Regulus ignicapillus, 39. resplendens, Vanellus, 235. Rhipidura aureola, 485. Rhodopechys githaginea, 42. Rhodopis vesper, 238. Rhodostethia rosea, 444. Richmondena cardinalis, 544, 548. ridgwayi, Plegadis, 233. ridibundus, Larus, 34, 393. Riparia riparia, 37, 59, 73, 81, 222, 239, 241, 263. risoria, Streptopelia, 394. Rissa tridactyla, 34, 242, 254, 393. rodgersii, Fulmarus g., 48. rodolphei, Stachyris, 482. rolland, Podiceps, 232. rosea, Rhodostethia, 444. roseus, Pelecanus o., 336, 339, 512. -, Sturnus, 444. rossii, Anser, 252. Rowettia goughensis, 114. rubecula, Erithacus, 40, 151, 155, 243, 266. ruber, Phoenicopterus, 30. rubetra, Saxicola, 40. rubinus, Pyrocephalus, 239. rubra, Piranga, 223. rubricauda, Phaethon, 364, 365, 372, 533. rubrigastra, Tachuris, 239. rubrirostris, Anas b., 234. rufa, Alectoris, 105. rufescens, Calandrella, 36. , Myiophobus f., 239. , Pelecanus, 499. ruficauda, Galbula, 257. ruficeps, Macropygia, 481. -, Stachyris, 482.

ruficollis, Caprimulgus, 36. -, Oreopholus, 235. , Podiceps, 29. , Turdus, 444. rufifrons, Stachyris, 482. rufinus, Buteo, 30. rufogularis, Apalis, 396. ruguloides, Anairestes, 239. rumicivorus, Thinocorus, 230, 236. rupestris, Hirundo, 37. Rupicola rupicola, 312, 324, 329. rupicola, Falco n., 401. rüppelli, Sylvia, 263. rustica, Hirundo, 37, 74, 215, 217, 225, 239, 263. rusticola, Scolopax, 265. rutilus, Cypseloides, 324. Rynchops nigra, 237.

sabini, Xema, 237, 488. sandvicensis, Sterna, 34. sandwichensis, Passerculus, 79, 226. sanguinolentus, Rallus, 235. sarda, Sylvia, 39. saxatilis, Monticola, 40, 263. Saxicola caprata, 483, 486. - rubetra, 40. — torquata, 40, 483, 486. schach, Lanius, 196. schoeniclus, Emberiza, 42, 154. schoenobaenus, Acrocephalus, 38, 59, 81, 221–2, 263. scirpaceus, Acrocephalus, 38, 59, 81, 263. scita, Stenostira, 396. Scolopax rusticola, 265. scops, Otus, 35, 263. scoresbii, Leucophaeus, 22. scoticus, Lagopus 1., 254. Scytalopus magellanicus, 17. seebohmi, Oenanthe o., 263. Seicercus castaneiceps, 484. - poliogenys, 484. semipalmatus, Catoptrophorus, 236. , Charadrius, 235. Semnornis ramphastinus, 173. senator, Lanius, 38. senegalensis, Centropus, 475. Serinus canarius, 268. - serinus, 42. serranus, Larus, 237. serrator, Mergus, 30, 441. sharpei, Bradornis p., 526. shikra, Accipiter, 479. sibilans, Bradornis p., 529 sibilatrix, Phylloscopus, 39, 246. sibirica, Zoothera, 483. Sicalis raimondii, 240. Sigelus, 397. simonsi, Rallus s., 235. sinensis, Seicercus c., 484.

skua, Catharacta, 22, 113, 236. , Stercorarius, 34. smithsonianus, Larus a., 344. socius, Philetairus, 480. solitarius, Monticola, 40, 263. Somateria mollissima, 333, 439, 441. sparverius, Falco, 235. spekei, Ploceus, 478. Speotyto cunicularia, 238. Spheniscus humboldti, 232. - magellanicus, 17. Sphenurus apicauda, 486. spilonotus, Ploceus, 457. spinicauda, Anas, 16, 234. , Aphrastura, 17. spinoletta, Anthus, 37. Spinus barbatus, 21. - magellanicus, 240. - uropygialis, 240. spinus, Carduelis, 42. Spiza americana, 224. spiza, Chlorophanes, 312. Spizella pusilla, 158 Sporophila telasco, 240. squatarola, Charadrius, 265. -, Pluvialis, 235. Stachyris, 486. - adjuncta, 482. ambigua, 482. - rodolphei, 482. - ruficeps, 482 - rufifrons, 482. stagnatilis, Tringa, 199, 205, 262. Steatornis caripensis, 303, 318. Steganopus tricolor, 236. stejnegeri, Saxicola t., 483. stellata, Gavia, 28. Stenostira scita, 396. Stercorarius, 90. parasiticus, 34, 286. pomarinus, 444. skua, 34. Sterna, 105. elegans, 237. fuscata, 364, 365, 377, 392, 533, 536. hirundinacea, 22, 237. — hirundo, 35. — lorata, 237. lunata, 364, 365, 379, 533, 536. paradisaea, 35, 237. - sandvicensis, 34. stevensi, Acrocephalus c., 484. stolidus, Anous, 364, 365, 381, 533. Streptopelia risoria, 394. turtur, 35, 263. striata, Dendroica, 70, 82.

—, Lonchura, 494. , Muscicapa, 40, 215, 218, 225, 246. striatus, Butorides, 233, 241.
—, Melanerpes, 399. Sturnus roseus, 444. unicolor, 42. - vulgaris, 42.

suahelicus, Bradornis m., 528. subalaris, Bradornis p., 527. subbuteo, Falco, 32, subruficollis, Tryngites, 444. Sula bassana, 29, 112, 242, 247, 394. - dactylatra, 364, 365, 375, 533. leucogaster, 364, 365, 375. nebouxii, 111, 233, 391. - sula, 243, 255, 364, 365, 376. variegata, 233. sulcirostris, Crotophaga, 238. - Phalacrocorax, 111. sundara, Muscicapa, 485. Niltava, 485. superciliaris, Burhinus, 236. , Leptopogon, 325. superciliosus, Lanius c., 184. , Merops, 262. svecica, Cyanosylvia, 40, 262. sylvatica, Turnix, 444. Sylvia, 61. atricapilla, 38, 155, 266, 268. borin, 155. cantillans, 39, 72, 222, 263. communis, 38, 59, 152, 215, 220, 225, 262. - conspicillata, 39, 268 - curruca, 38, 72, 215, 221, 225. hortensis, 38. melanocephalus, 39, 266, 268. rüppelli, 263. sarda, 39 undata, 39. Sylvietta, 396. Syrrhaptes paradoxus, 444. Tachuris rubrigastra, 239. Tachyeres brachypterus, 19. taczanowskia, Tribura, 484. taczanowskius, Bradypterus, 484. Tadorna tadorna, 330, 335. taeniata, Pygoscelis p., 52. Taeniopygia castanotis, 254. guttata, 494. tarda, Otis, 33. taruensis, Bradornis m., 522. tecellatus, Troglodytes a., 240.

Tachyeres brachypterus, 19. taczanowskia, Tribura, 484. taczanowskius, Bradypterus, 484. Tadorna tadorna, 330, 335. taeniata, Pygoscelis p., 52. Taeniopygia castanotis, 254. — guttata, 494. tarda, Otis, 33. taruensis, Bradornis m., 522. tecellatus, Troglodytes a., 240. telasco, Sporophila, 240. Telmatodytes palustris, 254. tenuirostris, Anous, 88, 91, 364, 365, 382, 392. —, Numenius, 444. —, Puffinus, 246, 255, 394, 534. Terpsiphone, 395. tessmanni, Bradornis p., 528. tessacea, Calidris, 199, 203. tethys, Oceanodroma, 232. Textor cucullatus, 457, 479.

thagus, Pelecanus o., 233. Thalasseus bergii, 364, 365, 380. thayeri, Larus, 357, 358. Theristicus caudatus, 233. Thinocorus rumicivorus, 230, 236. thoracicus, Bradypterus, 484. thula, Egretta, 233 thunbergi, Motacilla f., 69. Tichodroma muraria, 41. tigrinus, Lanius, 196. tinnunculus, Falco, 32, 268, 401. Tityra, 323. tonkinensis, Abroscopus h., 484. torda, Alca, 35, 540. torquata, Saxicola, 40, 483, 486. torquatus, Lybius, 173. -, Turdus, 41. torquilla, Jynx, 36, 262. totanus, Tringa, 543. Trachyphonus darnaudii, 173, erythrocephalus, 173, 179. vaillantii, 173. transcaspicus, Passer h., 14. Treron apicauda, 486. Tribura luteoventris, 484. taczanowskia, 484. tricarunculata, Procnias, 116. Tricholaema leucomelas, 173. tricolor, Steganopus, 236. tridactyla, Rissa, 34, 242, 254, 393. Tringa erythropus, 265. flavipes, 235. glareola, 199, 207, 262. hypoleucos, 33, 200, 262, 268. melanoleuca, 235 nebularia, 200, 262. - ochropus, 33, 262. - stagnatilis, 199, 205, 262. totanus, 543 trivialis, Anthus, 37, 79, 263. trochilus, Phylloscopus, 39, 154, 215, 220, 225. Trochocercus, 395. Troglodytes aedon, 240. musculus, 19. — troglodytes, 38, 162. Trogon collaris, 311. tropica, Fregetta, 114. Tryngites subruficollis, 444. tuidara, Tyto a., 238. Turdinulus epilepidotus, 486. Turdus cardis, 484. chiguanco, 240. dissimilis, 484. - falcklandii, 20. - fumigatus, 313. - iliacus, 41. merula, 41, 247, 255, 268, 483.

obscurus, 444.

pilaris, 41.

philomelos, 41.

ruficollis, 444.

Turdus torquatus, 41. - viscivorus, 41. Turnix sylvatica, 444. turtur, Streptopelia, 35, 263. Tyto alba, 35, 238, 266.

ukamba, Bradornis g., 523. undata, Sylvia, 39. undulata, Chlamydotis, 444. unicolor, Sturnus, 42. unirufus, Lipaugus, 316, 325. Upupa epops, 36, 153, 263, 268. urbica, Delichon, 37, 263. Uria aalge, 35, 105, 540. - lomvia, 541. urinatrix, Pelecanoides, 17. uropygialis, Spinus, 240.

vaillantii, Trachyphonus, 173. Vanellus gregarius, 444.

Vanellus resplendens 235., - vanellus, 33, 153. varennei, Dryonastes, 487. —, Garrulax m., 487. variegata, Sula, 233. vegae, Larus a., 358 Vermivora celata, 540. verreauxi, Paradoxornis, 487. vesper, Rhodopis, 238. vieilloti, Lybius, 173, 176. virens, Contopus, 158.
——, Megalaima, 173.
——, Myiochanes, 171. Vireo olivaceus, 223. virgata, Aphriza, 235. viscivorus, Turdus, 41. vitellinus, Ploceus, 476. -, Ramphastos, 303. vocifer, Cuncuma, 475. vociferus, Antrostomus, 158-9. , Charadrius, 235. Volatinia jacarina, 240. vulgaris, Sturnus, 42. vulpinus, Buteo b., 31. Vultur gryphus, 234.

Xema sabini, 237, 488. Xenospingus concolor, 240. Xipholena punicea, 316, 325.

yangpiensis, Yuhina g., 482. varrellii, Motacilla a., 37. yeltoniensis, Melanocorypha, 444. Yuhina flavicollis, 487. - gularis, 482.

Zenaida asiatica, 238. - auriculata, 238. Zenaidura macroura, 159. zoniventris, Falco, 400. Zonotrichia albicollis, 62, 82, 223. - capensis, 240. -leucophrys, 548. Zoothera monticola, 487.

sibirica, 483.

IBIS 1970

CORRIGENDA

- P. 37 Motacilla a. yarellii to read Motacilla a. yarrellii
- P. 47 Line 10 to read: 0, 0, 0, 0, 1, 1, 1, 2, 6 P. 70 Motacil filaava to read Motacilla flava

- P. 173 Lybius leucomela to read Lybius leucomelas P. 223 Delichonyx to read Dolichonyx (Table 2)
- P. 238 Geositta chunicularia to read Geositta cunicularia
- P. 240 Anthus lutescens perivianus to read Anthus lutescens peruvianus P. 262 Circus macrouros to read Circus macrourus
- P. 475 Chysococcyx caprius to read Chrysococcyx caprius
- P. 494 E. hypoleuca to read F. hypoleuca
- P. 509 P. erythrorynchos to read P. erythrorhynchos